PHYTOCHEMISTRY

CHEMISTRY BIOCHEMISTRY MOLECULAR BIOLOGY

Regional Editors

U.K., Africa, The Commonwealth & Rest of the World
G. P. BOLWELL

The Americas & East Asia
N. G. LEWIS

Continental Europe & Russia
D. STRACK

Volume 59 Contents, Author Index and
Subject Index 2002

LIBRARY
OHIO AGRICULTURAL RESEARCH
AND
DEVELOPMENT CENTER
1680 MADISON AVENUE
WOOSTER, OH 44691 USA

PERGAMON

581.05
0568

OARDC LIBRARY

NOV 0 4 2002

Wooster, OH 44691

581.05
P568

PHYTOCHEMISTRY

Chemistry Biochemistry Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World

G. P. BOLWELL: School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.

Regional Editor for: The Americas & East Asia

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia

D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

EDITORIAL BOARD—2002

Y. Asakawa:	Tokushima, Japan.	P. Hedden:	Bristol, U.K.
W. Boland:	Jena, Germany.	W. Herz:	Tallahassee, U.S.A.
A.-M. Boudet:	Toulouse, France.	K. Hostettmann:	Dorigny-Lausanne, Switzerland.
G. Bringmann:	Würzburg, Germany.	M. J. Kato:	São Paulo, Brazil.
G. Cordell:	Chicago, U.S.A.	W. A. König:	Hamburg, Germany.
K. Cornish:	Albany, U.S.A.	T. M. Kutchan:	Halle, Germany.
R. Croteau:	Pullman, U.S.A.	U. Matern:	Marburg, Germany.
H. V. Davies:	Dundee, U.K.	B. L. Møller:	Copenhagen, Denmark.
V. De Luca:	Ontario, Canada.	M. Rohmer:	Strasbourg, France.
R. A. Dixon:	Ardmore, U.S.A.	A. R. Slabas:	Durham, U.K.
R. Edwards:	Durham, U.K.	G. H. N. Towers:	Vancouver, Canada.
W. H. Fenical:	La Jolla, U.S.A.	P. G. Waterman:	Lismore, Australia.
D. Ferreira:	University, U.S.A.	V. Wray:	Braunschweig, Germany.
J. Gershenzon:	Jena, Germany.	M. H. Zenk:	Halle, Germany.
J. L. Harwood:	Cardiff, U.K.		

All manuscripts and contributions should be submitted to either G. P. BOLWELL at Surrey, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are requested to consult the 'Instructions to Authors' and the 'Aims and Scope' of the journal (see inside back cover). The latest Instructions are published in Vol. 61, No. 1. Copies of these Instructions are also available from the internet http://www.elsevier.com/locate/Phytochem under 'Guide for Authors', or from the Regional Editorial offices. Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to G. P. BOLWELL.

This journal has been designated an official organ of 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publication information: *Phytochemistry* (ISSN 0031-9422). For 2002, volumes 59–61 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.com/locate/phytochemistry). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.com). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Author enquiries: For enquiries relating to the submission of articles (including electronic submission where available) please visit the Author Gateway from Elsevier Science at http://authors.elsevier.com. The Author Gateway also provides the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed, as well as detailed artwork guidelines, copyright information, frequently asked questions and more. Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

© **2002 Elsevier Science Ltd**

USA mailing notice: *Phytochemistry* (ISSN 0031–9442) is published bi-monthly, two issues per month, January to December in three volumes by Elsevier Science Ltd. (P.O. Box 211, AE Amsterdam, The Netherlands). Annual subscription price in the USA US$ 3644.00 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to *Phytochemistry*, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.

AIRFREIGHT AND MAILING in the USA by Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.

CONTENTS OF VOLUME 59

Number 1

Graphical Abstracts vii

Protein Biochemistry
Predicting the substrates of cloned plant *O*-methyl-transferases 1 G. Schröder, E. Wehinger and J. Schröder

Inhibitors of phenylalanine ammonia-lyase: 1-amino-benzylphosphonic acids substituted in the benzene ring 9 J. Zoń, N. Amrhein and R. Gancarz

Molecular Genetics and Genomics
Flavonoid gene expression and UV photoprotection in transgenic and mutant *Petunia* leaves 23 K. G. Ryan, E. E. Swinny, K. R. Markham and C. Winefield

Metabolism
Temperature effect on a high stearic acid sunflower mutant 33 V. Fernández-Moya, E. Martínez-Force and R. Garcés

Microbial metabolism of partheniol by *Mucor circinelloides* 39 G. T. Maatooq

Biosynthesis of anthraquinones in cell cultures of *Cinchona* 'Robusta' proceeds via the methylerythritol 4-phosphate pathway 45 Y.-S. Han, R. van der Heijden, A. W. M. Lefeber, C. Erkelens and R. Verpoorte

Biotransformation of terpenes from *Stemodia maritima* by *Aspergillus niger* ATCC 9142 57 A. R. M. Chen and P. B. Reese

Ecological Biochemistry
Responses of anthocyanin-producing and non-producing cells of *Glehnia littoralis* to radical generators 63 Y. Kitamura, M. Ohta, T. Ikenaga and M. Watanabe

Bioactive Products
An insecticidal mixture of tetramethylcyclohexenedione isomers from *Kunzea ambigua* and *Kunzea baxterii* 69 B. P. S. Khambay, D. G. Beddie and M. S. J. Simmonds

Antimicrobial constituents from the stem bark of *Feronia limonia* 73 M. M. Rahman and A. I. Gray

Bioactive steroidal alkaloid glycosides from *Solanum aculeastrum* 79 A. W. Wanyonyi, S. C. Chhabra, G. Mkoji, U. Eilert and W. M. Njue

Immunosuppressive constituents from *Saussurea medusa* 85 H. Duan, Y. Takaishi, H. Momota, Y. Ohmoto and T. Taki

Chemistry
Tetrahydroisoquinoline-monoterpene glycosides from *Cephaelis acuminata* 91 A. Itoh, Y. Baba, T. Tanahashi and N. Nagakura

β-Methoxy-γ-methylene-α,β-unsaturated-γ-butyrolactones from *Artabotrys hexapetalus* 99 H.-F. Wong and G. D. Brown

Constituents of *Lepidium meyenii* 'maca' 105 I. Muhammad, J. Zhao, D. C. Dunbar and I. A. Khan

C_{15} Acetogenins from the red alga *Laurencia obtusa* 111 D. Iliopoulou, C. Vagias, C. Harvala and V. Roussis

Number 2

Graphical Abstracts ix

Review
Polyphenolics of *Salvia*—a review 117 Y. Lu and L. Yeap Foo

Metabolism
Effects of auxosporulation on distributions of C_{25} and C_{30} isoprenoid alkenes in *Rhizosolenia setigera* 141 S. T. Belt, G. Massé, W. G. Allard, J.-M. Robert and S. J. Rowland

PII: S0031-9422(02)00186-3

73 2190SU XL 2722
06/03 01-603-00 GBC

Ecological Biochemistry
O-Glucosyltransferase activities toward phenolic natural products and xenobiotics in wheat and herbicide-resistant and herbicide-susceptible black-grass (*Alopecurus myosuroides*) 149 M. Brazier, D. J. Cole and R. Edwards

Chemotaxonomy
Fatty acids of some algae from the Bohai Sea 157 X. Li, X. Fan, L. Han and Q. Lou

Non-protein amino acids of *Bocoa* (Leguminosae; Papilionoideae) 163 G. C. Kite and H. Ireland

Bioactive Products
Anti-inflammatory cyclohexenyl chalcone derivatives in *Boesenbergia pandurata* 169 P. Tuchinda, V. Reutrakul, P. Claeson, U. Pongprayoon, T. Sematong, T. Santisuk and W. C. Taylor

Structural features of immunologically active polysaccharides from *Ganoderma lucidum* 175 X.-F. Bao, X.-S. Wang, Q. Dong, J.-N. Fang and X.-Y. Li

Chemistry
Characterization and structures of anthocyanin pigments generated in rosé cider during vinification 183 T. Shoji, Y. Goda, M. Toyoda, A. Yanagida and T. Kanda

A macrocyclic ellagitannin trimer, oenotherin T_1, from *Oenothera* species 191 S. Taniguchi, Y. Imayoshi, R. Yabu-uchi, H. Ito, T. Hatano and T. Yoshida

The monoterpenes of *Artemisia tridentata* ssp. *vaseyana*, *Artemisia cana* ssp. *viscidula* and *Artemisia tridentata* ssp. *spiciformis* 197 K. Gunawardena, S. B. Rivera and W. W. Epstein

Eremophilanolides and other constituents from the Argentine liverwort *Frullania brasiliensis* 205 A. Bardón, G. B. Mitre, N. Kamiya, M. Toyota and Y. Asakawa

Cucurbitane, hexanorcucurbitane and octanorcucurbitane glycosides from fruits of *Trichosanthes tricuspidata* 215 T. Kanchanapoom, R. Kasai and K. Yamasaki

Book Reviews
Comprehensive Natural Products Chemistry

Volume 1: Polyketides and Other Secondary Metabolites Including Fatty Acids and Their Derivatives 229 T. Slabas

Volume 2: Isoprenoids Including Carotenoids and Steroids 229 P. Bramley

Volume 3: Carbohydrates and Their Derivatives Including Tannins, Cellulose and Related Lignins 230 S. C. Fry

Volume 4: Amino Acids, Peptides, Porphyrins and Alkaloids 231 D. Kell

Volume 5: Enzymes, Enzyme Mechanisms, Proteins and Aspects of NO Chemistry 232 B. Halliwell

Volume 6: Prebiotic Chemistry, Molecular Fossils, Nucleosides and RNA 233 D. Francis

Volume 7: DNA and Aspects of Molecular Biology 233 J. A. Bryant

Volume 8: Miscellaneous Natural Products Including Marine Natural Products, Pheromones, Plant Hormones and Aspects of Ecology 235 M. H. Beale

Corrigendum
Corrigendum to "The chemical diversity and distribution of glucosinolates and isothiocyanates among plants" [Phytochemistry 56 (2001) 5–51] 237 J. W. Fahey, A. T. Zalcmann and P. Talalay

Erratum
Erratum to "3(2H)-Benzofuranones and chromanes from liquid cultures of the mycoparasitic fungus *Coniothyrium minitans*" [Phytochemistry 58 (2001) 173–177] 239 K. Machida, L. S. Trifonov, W. A. Ayer, Z.-X. Lu, A. Laroche, H. C. Huang, K. J. Cheng and J. L. Zantinge

Number 3

Graphical Abstracts vii

Protein Biochemistry
Transport of 1-kestose across the tonoplast of Jerusalem artichoke tubers 241 H. G. Pontis, P. González and E. Etxeberria

Comparative subcellular immunolocation of polypeptides associated with xylan and callose synthases in French bean (*Phaseolus vulgaris*) during secondary wall formation — 249 — A. C. E. Gregory, C. Smith, M. E. Kerry, E. R. Wheatley and G. P. Bolwell

Molecular Genetics and Genomics
Isolation and characterization of cDNA clones encoding ADP-glucose pyrophosphorylase (AGPase) large and small subunits from chickpea (*Cicer arietinum* L.) — 261 — S. Singh, S.-B. Choi, M. K. Modi and T. W. Okita

Metabolism
Incorporation of [1-^{13}C]1-deoxy-D-xylulose into isoprenoids of the liverwort *Conocephalum conicum* — 269 — R. Thiel and K. P. Adam

Ecological Biochemistry
Flavonoid 5-glucosides from the cocoon shell of the silkworm, *Bombyx mori* — 275 — Y. Tamura, K. Nakajima, K. Nagayasu and C. Takabayashi

Chemotaxonomy
Serine proteinase inhibitors in the Compositae: distribution, polymorphism and properties — 279 — A. V. Konarev, I. N. Anisimova, V. A. Gavrilova, T. E. Vachrusheva, G. Y. Konechnaya, M. Lewis and P. R. Shewry

Chemosystematic investigations of irregular diterpenes in *Anisotome* and related New Zealand Apiaceae — 293 — C. Zidorn, S. Sturm, J. W. Dawson, J. W. van Klink, H. Stuppner and N. B. Perry

Bioactive Products
Essential fatty acids and phenolic acids from extracts and leachates of southern cattail (*Typha domingensis* P.) — 305 — M. T. Gallardo-Williams, C. L. Geiger, J. A. Pidala and D. F. Martin

Phytotoxicity and mammalian cytotoxicity of macrocyclic trichothecene mycotoxins from *Myrothecium verrucaria* — 309 — H. K. Abbas, B. B. Johnson, W. T. Shier, H. Tak, B. B. Jarvis and C. D. Boyette

Production of bioactive triterpenes by *Eriobotrya japonica* calli — 315 — S. Taniguchi, Y. Imayoshi, E. Kobayashi, Y. Takamatsu, H. Ito, T. Hatano, H. Sakagami, H. Tokuda, H. Nishino, D. Sugita, S. Shimura and T. Yoshida

Natural anti-HIV agents—part I: (+)-demethoxyepiexcelsin and verticillatol from *Litsea verticillata* — 325 — V. D. Hoang, G. T. Tan, H.-J. Zhang, P. A. Tamez, N. V. Hung, N. M. Cuong, D. D. Soejarto, H. H. S. Fong and J. M. Pezzuto

Chemistry
Macrocyclic diterpenes from *Euphorbia nivulia* — 331 — V. Ravikanth, V. L. Niranjan Reddy, T. Prabhakar Rao, P. V. Diwan, S. Ramakrishna and Y. Venkateswarlu

Three isoflav-3-enes and a 2-arylbenzofuran from the root bark of *Erythrina burttii* — 337 — A. Yenesew, J. O. Midiwo, S. M. Guchu, M. Heydenreich and M. G. Peter

The structure of the major anthocyanin in *Arabidopsis thaliana* — 343 — S. J. Bloor and S. Abrahams

Metabolic profiling of saponins in *Medicago sativa* and *Medicago truncatula* using HPLC coupled to an electrospray ion-trap mass spectrometer — 347 — D. V. Huhman and L. W. Sumner

Book Review
Formulation of Microbial Biopesticides—Beneficial Micro-Organisms, Nematodes and Seed Treatments, edited by H. D. Burges — 361 — J. B. Harborne

Corrigenda
Corrigendum to "A flavonol glycoside-lignan ester and accompanying acylated glucosides from *Monochaetum multiflorum*" [Phytochemistry 58 (2001) 321–327] — 363 — J. H. Isaza, H. Ito and T. Yoshida

Corrigendum to "Bacopaside I and II: two pseudojujubogenin glycosides from *Bacopa monniera*" [Phytochemistry 58 (2001) 553–556] — 365 — A. K. Chakravarty, T. Sarkar, K. Masuda, K. Shiojima, T. Nakane and N. Kawahara

Number 4

The contents are arranged by class of compound within each section, e.g. primary metabolites, terpenoids, phenolics, alkaloids

Graphical Abstracts — ix

Terpenoids
Rebaudioside F, a diterpene glycoside from *Stevia rebaudiana* — 367 — A. N. Starratt, C. W. Kirby, R. Pocs and J. E. Brandle

Vernoguinosterol and vernoguinoside, trypanocidal stigmastane derivatives from *Vernonia guineensis* (Asteraceae) 371 A. T. Tchinda, A. Tsopmo, P. Tane, J. F. Ayafor, J. D. Connolly and O. Sterner

Structure of a geranyl-α-pyrone from *Mimulus aurantiacus* leaf resin 375 J. D. Hare and D. B. Borchardt

nor-Oleanene type triterpene glycosides from the leaves of *Acanthopanax japonicus* 379 S.-Y. Park, S.-Y. Chang, O.-J. Oh, C.-S. Yook and T. Nohara

Abietane diterpenoids from suspension cultured cells of *Torreya nucifera* var. *radicans* 385 Y. Orihara, J.-W. Yang, N. Komiya, K. Koge and T. Yoshikawa

Volatile oil comparison of cotyledon leaves of chemotypes of *Melaleuca alternifolia* 391 I. A. Southwell and M. F. Russell

Polyprenylated phloroglucinol derivatives from *Hypericum erectum* 395 T.-Y. An, M.-D. Shan, L.-H. Hu, S.-J. Liu and Z.-L. Chen

Two octanordammarane triterpenes from *Commiphora kua* 399 A. Dekebo, E. Dagne, L. K. Hansen, O. R. Gautun and A. J. Aasen

Furanoterpenoids from *Siphonochilus aethiopicus* 405 C. W. Holzapfel, W. Marais, P. L. Wessels and B.-E. Van Wyk

neo-Clerodane diterpenoids from *Teucrium oliverianum* and structure revision of teucrolin E 409 M. A. Al-Yahya, F. S. El-Feraly, D. C. Dunbar and I. Muhammad

Phenolics

An isoflavanoid–neoflavonoid and an *O*-methylated isoflavone from the heartwood of *Dalbergia nitidula* 415 M. Bekker, E. Malan, J. A. Steenkamp and E. V. Brandt

O-Galloyl-*C*-glycosylflavones from *Pelargonium reniforme* 419 K. P. Latté, D. Ferreira, M. S. Venkatraman and H. Kolodziej

Oxanthrone esters from the roots of *Cassia kleinii* 425 S. J. Anu and J. M. Rao

Kavalactones from *Piper methysticum*, and their ^{13}C NMR spectroscopic analyses 429 H. R. W. Dharmaratne, N. P. D. Nanayakkara and I. A. Khan

Triflavonoids of *Ochna calodendron* 435 B. B. Messanga, S. F. Kimbu, B. L. Sondengam and B. Bodo

General Chemnistry

Hydroxyester disaccharides from fruits of cape gooseberry (*Physalis peruviana*) 439 H. Mayorga, C. Duque, H. Knapp and P. Winterhalter

Coumarin glucosides from *Cruciata taurica* 447 S. De Rosa, M. Mitova, N. Handjieva and İ. Çalış

(6*S*)-Hydroxy-3-oxo-α-ionol glucosides from *Capparis spinosa* fruits 451 İ. Çalış, A. Kuruüzüm-Uz, P. A. Lorenzetto and P. Rüedi

Antiviral isoflavonoid sulfate and steroidal glycosides from the fruits of *Solanum torvum* 459 D. Arthan, J. Svasti, P. Kittakoop, D. Pittayakhachonwut, M. Tanticharoen and Y. Thebtaranonth

Nigrumin-5-*p*-coumarate and nigrumin-5-ferulate, two unusual nitrile-containing metabolites from black currant (*Ribes nigrum*) seed 465 Y. Lu, L. Yeap Foo and H. Wong

The metabolites of the mangrove fungus *Verruculina enalia* No. 2606 from a salt lake in the Bahamas 469 Y. Lin, X. Wu, Z. Deng, J. Wang, S. Zhou, L. L. P. Vrijmoed and E. B. G. Jones

Number 5

Graphical Abstracts vii

Metabolism

Proline metabolism and NAD kinase activity in greenbean plants subjected to cold-shock 473 J. M. Ruiz, E. Sánchez, P. C. García, L. R. López-Lefebre, R. M. Rivero and L. Romero

Microbial transformation of cadina-4,10(15)-dien-3-one, aromadendr-1(10)-en-9-one and methyl ursolate by *Mucor plumbeus* ATCC 4740 479 D. O. Collins, P. L. D. Ruddock, J. Chiverton de Grasse, W. F. Reynolds and P. B. Reese

Biotransformation of cadina-4,10(15)-dien-3-one and 3α-hydroxycadina-4,10(15)-diene by *Curvularia lunata* ATCC 12017 489 D. O. Collins and P. B. Reese

Ecological Biochemistry
Effects of Na_2SO_3 on the activities of antioxidant enzymes in geranium seedlings 493 M. Y. Lee

Chemotaxonomy
Cyanohydrin glycosides of *Passiflora*: distribution pattern, a saturated cyclopentane derivative from *P. guatemalensis*, and formation of pseudocyanogenic α-hydroxyamides as isolation artefacts 501 J. W. Jaroszewski, E. S. Olafsdottir, P. Wellendorph, J. Christensen, H. Franzyk, B. Somanadhan, B. A. Budnik, L. Bolt Jørgensen and V. Clausen

Bioactive Products
Phenolic compounds from *Gastrodia* rhizome and relaxant effects of related compounds on isolated smooth muscle preparation 513 J. Hayashi, T. Sekine, S. Deguchi, Q. Lin, S. Horie, S. Tsuchiya, S. Yano, K. Watanabe and F. Ikegami

Antifungal amides from *Piper arboreum* and *Piper tuberculatum* 521 R. Vasques da Silva, H. M. Debonsi Navickiene, M. J. Kato, V. Da S. Bolzani, C. I. Méda, M. C. M. Young and M. Furlan

Chemistry
Germacranolides from *Artemisia myriantha* and their conformation 529 H.-F. Wong and G. D. Brown

Non-glycosidic iridoids from *Cymbaria mongolica* 537 J.-Q. Dai, Z.-L. Liu and L. Yang

Polyoxygenated cyclohexene derivatives from *Ellipeiopsis cherrevensis* 543 A. Kijjoa, J. Bessa, M. M. M. Pinto, C. Anatachoke, A. M. S. Silva, G. Eaton and W. Herz

Iridoid and phenolic glycosides from *Morinda coreia* 551 T. Kanchanapoom, R. Kasai and K. Yamasaki

Phenolic glycosides from *Markhamia stipulata* 557 T. Kanchanapoom, R. Kasai and K. Yamasaki

Phenolic glycosides from *Barnettia kerrii* 565 T. Kanchanapoom, R. Kasai and K. Yamasaki

Blazeispirols B, C, E and F, des-*A*-ergostane-type compounds, from the cultured mycelia of the fungus *Agaricus blazei* 571 M. Hirotani, K. Sai, S. Hirotani and T. Yoshikawa

Number 6

Graphical Abstracts vii

Review
The destruxins: synthesis, biosynthesis, biotransformation, and biological activity 579 M. S. C. Pedras, L. I. Zaharia and D. E. Ward

Metabolism
De novo production of (+)-aristolochene by sporulated surface cultures of *Penicillium roqueforti* 597 J. C. R. Demyttenaere, A. Adams, K. Van Belleghem, N. De Kimpe, W. A. König and A. V. Tkachev

Nepenthes insignis uses a C_2-portion of the carbon skeleton of L-alanine acquired via its carnivorous organs, to build up the allelochemical plumbagin 603 H. Rischer, A. Hamm and G. Bringmann

Chemical defenses of crucifers: elicitation and metabolism of phytoalexins and indole-3-acetonitrile in brown mustard and turnip 611 M. S. C. Pedras, C. M. Nycholat, S. Montaut, Y. Xu and A. Q. Khan

Synthesis and bioactivity of C-2 and C-3 methyl ether derivatives of brassinolide 627 T. G. Back, L. Janzen, R. P. Pharis and Z. Yan

Bioactive Products
Cytotoxic withanolides from *Acnistus arborescens* 635 S. Minguzzi, L. E. S. Barata, Y. G. Shin, P. F. Jonas, H.-B. Chai, E. J. Park, J. M. Pezzuto and G. A. Cordell

Gerronemins A–F, cytotoxic biscatechols from a *Gerronema* species 643 S. Silberborth, A. Stumpf, G. Erkel, T. Anke and O. Sterner

Coumarins and γ-pyrone derivatives from *Prangos pabularia*: antibacterial activity and inhibition of cytokine release 649 Y. Tada, Y. Shikishima, Y. Takaishi, H. Shibata, T. Higuti, G. Honda, M. Ito, Y. Takeda, O. K. Kodzhimatov, O. Ashurmetov and Y. Ohmoto

Chemistry
Volatiles from rhizomes of *Rhodiola rosea* L. 655 J. Rohloff

Benzoic acid glucosinolate esters and other glucosinolates from *Arabidopsis thaliana* 663 M. Reichelt, P. D. Brown, B. Schneider, N. J. Oldham, E. Stauber, J. Tokuhisa, D. J. Kliebenstein, T. Mitchell-Olds and J. Gershenzon

Structure and stereochemistry of dimeric proteracacinidins possessing the rare C-4(C) → C-5(D) interflavanyl linkage 673 L. Bennie, J. Coetzee, E. Malan and D. Ferreira

Gibberellins in shoots and developing capsules of *Populus* species 679 D. W. Pearce, O. E. Hutt, S. B. Rood and L. N. Mander

Number 7

Graphical Abstracts vii

Protein Biochemistry
A β-glucosidase/xylosidase from the phytopathogenic oomycete, *Phytophthora infestans* 689 F. Brunner, W. Wirtz, J. K. C. Rose, A. G. Darvill, F. Govers, D. Scheel and T. Nürnberger

Molecular Genetics and Genomics
Alkaloid production in *Duboisia* hybrid hairy root cultures overexpressing the *pmt* gene 697 E. Moyano, S. Fornalé, J. Palazón, R. M. Cusidó, N. Bagni and M. T. Piñol

Metabolism
Changes in cell wall polysaccharides of *Silene vulgaris* callus during culture 703 E. A. Günter and Y. S. Ovodov

Monoterpenoid accumulation in *Melaleuca alternifolia* seedlings 709 M. Russell and I. Southwell

Chemotaxonomy
Survey of aliphatic glucosinolates in Sicilian wild and cultivated Brassicaceae 717 F. Branca, G. Li, S. Goyal and C. F. Quiros

Bioactive Products
Production of taxoids with biological activity by plants and callus culture from selected *Taxus* genotypes 725 G. Parc, A. Canaguier, P. Landré, R. Hocquemiller, D. Chriqui and M. Meyer

Neogrifolin derivatives possessing anti-oxidative activity from the mushroom *Albatrellus ovinus* 731 M. Nukata, T. Hashimoto, I. Yamamoto, N. Iwasaki, M. Tanaka and Y. Asakawa

Pyrano-isoflavones with erectile-dysfunction activity from *Eriosema kraussianum* 739 S. E. Drewes, M. M. Horn, O. Q. Munro, J. T. B. Dhlamini, J. J. M. Meyer and N. C. Rakuambo

Proanthocyanidin glycosides and related polyphenols from cacao liquor and their antioxidant effects 749 T. Hatano, H. Miyatake, M. Natsume, N. Osakabe, T. Takizawa, H. Ito and T. Yoshida

Chemistry
Characterization of betaines using electrospray MS/MS 759 K. V. Wood, C. C. Bonham, D. Miles, A. P. Rothwell, G. Peel, B. C. Wood and D. Rhodes

Sesquiterpene pyridine alkaloids from *Hippocratea excelsa* 767 M. Furukawa, M. Makino, T. Uchiyama, K. Ishimi, Y. Ichinohe and Y. Fujimoto

Secoiridoid and iridoid glucosides from *Syringa afghanica* 779 Y. Takenaka, N. Okazaki, T. Tanahashi, N. Nagakura and T. Nishi

Book Review
Chemical Dictionary of Economic Plants edited by J. B. Harborne and H. Baxter 789 R. Nash

Number 8

The contents are arranged by class of compound within each section, e.g. primary metabolites, terpenoids, phenolics, alkaloids

Graphical Abstracts vii

Terpenoids
Triterpenoids from *Gentiana scabra* 791 R. Kakuda, T. Iijima, Y. Yaoita, K. Machida and M. Kikuchi

Sesquiterpene constituents in *Petasites hybridus* 795 Y. Saritas, S. H. von Reuß and W. A. König

epi-Cubebanes from *Solidago canadensis* 805 A. A. Kasali, O. Ekundayo, C. Paul and W. A. König

Sesquiterpenoids of *Torilis japonica* fruit 811 J. Kitajima, N. Suzuki, M. Satoh and M. Watanabe

Sphaeropsidins D and E, two other pimarane diterpenes, produced in vitro by the plant pathogenic fungus *Sphaeropsis sapinea* f. sp. *cupressi* 817 A. Evidente, L. Sparapano, G. Bruno and A. Motta

Triterpenoid saponins and acylated prosapogenins from *Harpullia austrocaledonica* 825 L. Voutquenne, C. Kokougan, C. Lavaud, I. Pouny and M. Litaudon

Quassinoids from *Eurycoma longifolia* 833 H. H. Ang, Y. Hitotsuyanagi, H. Fukaya and K. Takeya

Botryolins A and B, two tetramethylsqualene triethers from the green microalga *Botryococcus braunii* 839 P. Metzger, M.-N. Rager and C. Largeau

Guaiane- and aristolane-type sesquiterpenoids of *Nardostachys chinensis* roots 845 M. Tanitsu, Y. Takaya, M. Akasaka, M. Niwa and Y. Oshima

Two highly oxygenated eudesmanes and 10 lignans from *Achillea holosericea* 851 A. A. Ahmed, A. A. Mahmoud, E. T. Ali, O. Tzakou, M. Couladis, T. J. Mabry, T. Gáti and G. Tóth

Phenolics

Phenolic glycosides from *Phagnalon rupestre* 857 L. Góngora, S. Máñez, R. M. Giner, M. C. Recio, A. I. Gray and J.-L. Ríos

Constituents from the stems of *Actinodaphne lancifolia* 861 M.-R. Kim, H.-J. Jung, B.-S. Min, S.-R. Oh, C.-S. Kim, K.-S. Ahn, W.-S. Kang and H.-K. Lee

Two benzophenone *O*-arabinosides and a chromone from *Hypericum annulatum* 867 P. T. Nedialkov and G. M. Kitanov

Three anthrones from *Rubus ulmifolius* 873 G. Flamini, S. Catalano, C. Caponi, L. Panizzi and I. Morelli

Chalcones and other constituents of *Dorstenia prorepens* and *Dorstenia zenkeri* 877 B. M. Abegaz, B. T. Ngadjui, E. Dongo, B. Ngameni, M. N. Nindi and M. Bezabih

General Chemistry

Klaivanolide, an antiprotozoal lactone from *Uvaria klaineana* 885 B. Akendengue, F. Roblot, P. M. Loiseau, C. Bories, E. Ngou-Milama, A. Laurens and R. Hocquemiller

A chlorinated monoterpene ketone, acylated β-sitosterol glycosides and a flavanone glycoside from *Mentha longifolia* (Lamiaceae) 889 M. Shaiq Ali, M. Saleem, W. Ahmad, M. Parvez and R. Yamdagni

Amides from *Piper brachystachyum* and *Piper retrofractum* 897 A. Banerji, M. Sarkar, R. Datta, P. Sengupta and K. Abraham

Aa
Al
Al
Al
Al
Ac
Ac
Al
Al
Al
Al
Al
Al
Al
Ar
Ar
Ar
Ar
Ar
Ar
Ar
As
As
As
Ay
Ay

Ba
Ba
Ba
Ba
Ba
Ba
Be
Be
Be
Be
Be
Be
Be
Bl
Bo
Bo
Bo
Bo
Bo
Bo
Bo
Bo
Br
Br
Br
Br
Br
Bri
Br
Br
Bru
Bru
Bry
Bu

AUTHOR INDEX

Aasen, A. J., 399
Abbas, H. K., 309
Abegaz, B. M., 877
Abraham, K., 897
Abrahams, S., 343
Adam, K. P., 269
Adams, A., 597
Ahmad, W., 889
Ahmed, A. A., 851
Ahn, K.-S., 861
Akasaka, M., 845
Akendengue, B., 885
Al-Yahya, M. A., 409
Ali, E. T., 851
Allard, W. G., 141
Amrhein, N., 9
An, T.-Y., 395
Anatachoke, C., 543
Ang, H. H., 833
Anisimova, I. N., 279
Anke, T., 643
Anu, S. J., 425
Arthan, D., 459
Asakawa, Y., 205
Asakawa, Y., 731
Ashurmetov, O., 649
Ayafor, J. F., 371
Ayer, W. A., 239

Baba, Y., 91
Back, T. G., 627
Bagni, N., 697
Banerji, A., 897
Bao, X.-F., 175
Barata, L. E. S., 635
Bardón, A., 205
Beale, M. H., 235
Beddie, D. G., 69
Bekker, M., 415
Belt, S. T., 141
Bennie, L., 673
Bessa, J., 543
Bezabih, M., 877
Bloor, S. J., 343
Bodo, B., 435
Bolt Jørgensen, L., 501
Bolwell, G. P., 249
Bolzani, V. da S., 521
Bonham, C. C., 759
Borchardt, D. B., 375
Bories, C., 885
Boyette, C. D., 309
Bramley, P., 229
Branca, F., 717
Brandle, J. E., 367
Brandt, E. V., 415
Brazier, M., 149
Bringmann, G., 603
Brown, G. D., 99, 529
Brown, P. D., 663
Brunner, F., 689
Bruno, G., 817
Bryant, J. A., 233
Budnik, B. A., 501

Çalış, İ., 447, 451
Canaguier, A., 725
Caponi, C., 873
Catalano, S., 873
Chai, H.-B., 635
Chakravarty, A. K., 365
Chang, S.-Y., 379
Chen, A. R. M., 57
Chen, Z.-L., 395
Cheng, K. J., 239
Chhabra, S. C., 79
Chiverton de Grasse, J., 479
Choi, S.-B., 261
Chriqui, D., 725
Christensen, J., 501
Claeson, P., 169
Clausen, V., 501
Coetzee, J., 673
Cole, D. J., 149
Collins, D. O., 479, 489
Connolly, J. D., 371
Cordell, G. A., 635
Couladis, M., 851
Cuong, N. M., 325
Cusidó, R. M., 697

Dagne, E., 399
Dai, J.-Q., 537
Darvill, A. G., 689
Datta, R., 897
Dawson, J. W., 293
De Kimpe, N., 597
De Rosa, S., 447
Debonsi Navickiene, H. M., 521
Deguchi, S., 513
Dekebo, A., 399
Demyttenaere, J. C. R., 597
Deng, Z., 469
Dharmaratne, H. R. W., 429
Dhlamini, J. T. B., 739
Diwan, P. V., 331
Dong, Q., 175
Dongo, E., 877
Drewes, S. E., 739
Duan, H., 85
Dunbar, D. C., 105, 409
Duque, C., 439

Eaton, G., 543
Edwards, R., 149
Eilert, U., 79
Ekundayo, O., 805
El-Feraly, F. S., 409
Epstein, W. W., 197
Erkel, G., 643
Erkelens, C., 45
Etxeberria, E., 241
Evidente, A., 817

Fahey, J. W., 237
Fan, X., 157
Fang, J.-N., 175
Fernández-Moya, V., 33
Ferreira, D., 419, 673

PII: S0031-9422(02)00187-5

Flamini, G., 873
Fong, H. H. S., 325
Fornalé, S., 697
Francis, D., 233
Franzyk, H., 501
Fry, S. C., 230
Fujimoto, Y., 767
Fukaya, H., 833
Furlan, M., 521
Furukawa, M., 767

Gallardo-Williams, M. T., 305
Gancarz, R., 9
Garcés, R., 33
García, P. C., 473
Gáti, T., 851
Gautun, O. R., 399
Gavrilova, V. A., 279
Geiger, C. L., 305
Gershenzon, J., 663
Giner, R. M., 857
Goda, Y., 183
Góngora, L., 857
González, P., 241
Govers, F., 689
Goyal, S., 717
Gray, A. I., 73, 857
Gregory, A. C. E., 249
Guchu, S. M., 337
Gunawardena, K., 197
Günter, E. A., 703

Halliwell, B., 232
Hamm, A., 603
Han, L., 157
Han, Y.-S., 45
Handjieva, N., 447
Hansen, L. K., 399
Harborne, J. B., 361
Hare, J. D., 375
Harvala, C., 111
Hashimoto, T., 731
Hatano, T., 191, 315, 749
Hayashi, J., 513
Herz, W., 543
Heydenreich, M., 337
Higuti, T., 649
Hirotani, M., 571
Hirotani, S., 571
Hitotsuyanagi, Y., 833
Hoang, V. D., 325
Hocquemiller, R., 725, 885
Holzapfel, C. W., 405
Honda, G., 649
Horie, S., 513
Horn, M. M., 739
Hu, L.-H., 395
Huang, H. C., 239
Huhman, D. V., 347
Hung, N. V., 325
Hutt, O. E., 679

Ichinohe, Y., 767
Iijima, T., 791
Ikegami, F., 513
Ikenaga, T., 63
Iliopoulou, D., 111
Imayoshi, Y., 191, 315
Ireland, H., 163
Isaza, J. H., 363
Ishimi, K., 767
Ito, H., 191, 315, 363, 749
Ito, M., 649
Itoh, A., 91
Iwasaki, N., 731

Janzen, L., 627
Jaroszewski, J. W., 501
Jarvis, B. B., 309
Johnson, B. B., 309
Jonas, P. F., 635
Jones, E. B. G., 469
Jung, H.-J., 861

Kakuda, R., 791
Kamiya, N., 205
Kanchanapoom, T., 215, 551, 557, 565
Kanda, T., 183
Kang, W.-S., 861
Kasai, R., 215, 551, 557, 565
Kasali, A. A., 805
Kato, M. J., 521
Kawahara, N., 365
Kell, D., 231
Kerry, M. E., 249
Khambay, B. P. S., 69
Khan, A. Q., 611
Khan, I. A., 105, 429
Kijjoa, A., 543
Kikuchi, M., 791
Kim, C.-S., 861
Kim, M.-R., 861
Kimbu, S. F., 435
Kirby, C. W., 367
Kitajima, J., 811
Kitamura, Y., 63
Kitanov, G. M., 867
Kite, G. C., 163
Kittakoop, P., 459
Kliebenstein, D. J., 663
Knapp, H., 439
Kobayashi, E., 315
Kodzhimatov, O. K., 649
Koge, K., 385
Kokougan, C., 825
Kolodziej, H., 419
Komiya, N., 385
Konarev, A. V., 279
Konechnaya, G. Y., 279
König, W. A., 597, 795, 805
Kuruüzüm-Uz, A., 451

Landré, P., 725
Largeau, C., 839
Laroche, A., 239
Latté, K. P., 419
Laurens, A., 885
Lavaud, C., 825
Lee, H.-K., 861
Lee, M. Y., 493
Lefeber, A. W. M., 45
Lewis, M., 279
Li, G., 717
Li, X., 157
Li, X.-Y., 175
Lin, Q., 513
Lin, Y., 469
Litaudon, M., 825
Liu, S.-J., 395
Liu, Z.-L., 537
Loiseau, P. M., 885
López-Lefebre, L. R., 473
Lorenzetto, P. A., 451
Lou, Q., 157
Lu, Y., 117, 465
Lu, Z.-X., 239

Maatooq, G. T., 39
Mabry, T. J., 851
Machida, K., 239, 791
Mahmoud, A. A., 851
Makino, M., 767
Malan, E., 415, 673
Mander, L. N., 679
Máñez, S., 857
Marais, W., 405
Markham, K. R., 23
Martin, D. F., 305
Martínez-Force, E., 33
Massé, G., 141
Masuda, K., 365
Mayorga, H., 439
Méda, C. I., 521
Messanga, B. B., 435
Metzger, P., 839
Meyer, J. J. M., 739
Meyer, M., 725
Midiwo, J. O., 337
Miles, D., 759
Min, B.-S., 861
Minguzzi, S., 635
Mitchell-Olds, T., 663
Mitova, M., 447
Mitre, G. B., 205
Miyatake, H., 749
Mkoji, G., 79
Modi, M. K., 261
Momota, H., 85
Montaut, S., 611
Morelli, I., 873
Motta, A., 817
Moyano, E., 697
Muhammad, I., 105, 409
Munro, O. Q., 739

Nagakura, N., 91, 779
Nagayasu, K., 275
Nakajima, K., 275
Nakane, T., 365
Nanayakkara, N. P. D., 429
Nash, R., 789
Natsume, M., 749
Nedialkov, P. T., 867
Ngadjui, B. T., 877
Ngameni, B., 877
Ngou-Milama, E., 885
Nindi, M. N., 877
Niranjan Reddy, V. L., 331
Nishi, T., 779
Nishino, H., 315
Niwa, M., 845
Njue, W. M., 79
Nohara, T., 379
Nukata, M., 731
Nürnberger, T., 689
Nycholat, C. M., 611

Oh, O.-J., 379
Oh, S.-R., 861
Ohmoto, Y., 85, 649
Ohta, M., 63
Okazaki, N., 779
Okita, T. W., 261
Olafsdottir, E. S., 501
Oldham, N. J., 663
Orihara, Y., 385
Osakabe, N., 749
Oshima, Y., 845
Ovodov, Y. S., 703

Palazón, J., 697
Panizzi, L., 873
Parc, G., 725
Park, E. J., 635
Park, S.-Y., 379
Parvez, M., 889
Paul, C., 805
Pearce, D. W., 679
Pedras, M. S. C., 579, 611
Peel, G., 759
Perry, N. B., 293
Peter, M. G., 337
Pezzuto, J. M., 325, 635
Pharis, R. P., 627
Pidala, J. A., 305
Piñol, M. T., 697
Pinto, M. M. M., 543
Pittayakhachonwut, D., 459
Pocs, R., 367
Pongprayoon, U., 169
Pontis, H. G., 241
Pouny, I., 825
Prabhakar Rao, T., 331

Quiros, C. F., 717

Rager, M.-N., 839
Rahman, M. M., 73
Rakuambo, N. C., 739
Ramakrishna, S., 331
Rao, J. M., 425
Ravikanth, V., 331
Recio, M. C., 857
Reese, P. B., 57, 479, 489
Reichelt, M., 663
Reutrakul, V., 169
Reynolds, W. F., 479
Rhodes, D., 759
Ríos, J.-L., 857
Rischer, H., 603
Rivera, S. B., 197
Rivero, R. M., 473
Robert, J.-M., 141
Roblot, F., 885
Rohloff, J., 655
Romero, L., 473
Rood, S. B., 679
Rose, J. K. C., 689
Rothwell, A. P., 759
Roussis, V., 111
Rowland, S. J., 141
Ruddock, P. L. D., 479
Rüedi, P., 451
Ruiz, J. M., 473
Russell, M., 709
Russell, M. F., 391
Ryan, K. G., 23

Sai, K., 571
Sakagami, H., 315
Saleem, M., 889
Sánchez, E., 473
Santisuk, T., 169
Saritas, Y., 795
Sarkar, M., 897
Sarkar, T., 365
Satoh, M., 811
Scheel, D., 689
Schneider, B., 663
Schröder, G., 1
Schröder, J., 1
Sekine, T., 513
Sematong, T., 169
Sengupta, P., 897
Shaiq Ali, M., 889
Shan, M.-D., 395

Shewry, P. R., 279
Shibata, H., 649
Shier, W. T., 309
Shikishima, Y., 649
Shimura, S., 315
Shin, Y. G., 635
Shiojima, K., 365
Shoji, T., 183
Silberborth, S., 643
Silva, A. M. S., 543
Simmonds, M. S. J., 69
Singh, S., 261
Slabas, T., 229
Smith, C., 249
Soejarto, D. D., 325
Somanadhan, B., 501
Sondengam, B. L., 435
Southwell, I., 709
Southwell, I. A., 391
Sparapano, L., 817
Starratt, A. N., 367
Stauber, E., 663
Steenkamp, J. A., 415
Sterner, O., 371, 643
Stumpf, A., 643
Stuppner, H., 293
Sturm, S., 293
Sugita, D., 315
Sumner, L. W., 347
Suzuki, N., 811
Svasti, J., 459
Swinny, E. E., 23

Tada, Y., 649
Tak, H., 309
Takabayashi, C., 275
Takaishi, Y., 85, 649
Takamatsu, Y., 315
Takaya, Y., 845
Takeda, Y., 649
Takenaka, Y., 779
Takeya, K., 833
Taki, T., 85
Takizawa, T., 749
Talalay, P., 237
Tamez, P. A., 325
Tamura, Y., 275
Tan, G. T., 325
Tanahashi, T., 91, 779
Tanaka, M., 731
Tane, P., 371
Taniguchi, S., 191, 315
Tanitsu, M., 845
Tanticharoen, M., 459
Taylor, W. C., 169
Tchinda, A. T., 371
Thebtaranonth, Y., 459
Thiel, R., 269
Tkachev, A. V., 597
Tokuda, H., 315
Tokuhisa, J., 663
Tóth, G., 851
Toyoda, M., 183
Toyota, M., 205
Trifonov, L. S., 239
Tsopmo, A., 371
Tsuchiya, S., 513
Tuchinda, P., 169
Tzakou, O., 851

Uchiyama, T., 767

Vachrusheva, T. E., 279
Vagias, C., 111
Van Belleghem, K., 597
van der Heijden, R., 45
van Klink, J. W., 293
Van Wyk, B.-E., 405
Vasques da Silva, R., 521
Venkateswarlu, Y., 331
Venkatraman, M. S., 419
Verpoorte, R., 45
von Reuß, S. H., 795
Voutquenne, L., 825
Vrijmoed, L. L. P., 469

Wang, J., 469
Wang, X.-S., 175
Wanyonyi, A. W., 79
Ward, D. E., 579
Watanabe, K., 513
Watanabe, M., 63, 811
Wehinger, E., 1
Wellendorph, P., 501
Wessels, P. L., 405
Wheatley, E. R., 249
Winefield, C., 23
Winterhalter, P., 439
Wirtz, W., 689
Wong, H., 465
Wong, H.-F., 99, 529
Wood, B. C., 759
Wood, K. V., 759
Wu, X., 469

Xu, Y., 611

Yabu-uchi, R., 191
Yamamoto, I., 731
Yamasaki, K., 215, 551, 557, 565
Yamdagni, R., 889
Yan, Z., 627
Yanagida, A., 183
Yang, J.-W., 385
Yang, L., 537
Yano, S., 513
Yaoita, Y., 791
Yeap Foo, L., 117, 465
Yenesew, A., 337
Yook, C.-S., 379
Yoshida, T., 191, 315, 363, 749
Yoshikawa, T., 385, 571
Young, M. C. M., 521

Zaharia, L. I., 579
Zalcmann, A. T., 237
Zantinge, J. L., 239
Zhang, H.-J., 325
Zhao, J., 105
Zhou, S., 469
Zidorn, C., 293
Zoń, J., 9

SUBJECT INDEX

A
Acacia, dimeric proteracacinidins from 673
Acanthopanax japonicus, *nor*-oleanane triterpene glycosides from 379
Acetogenins, C_{15}, from *Laurencia* 111
Achillea holosericea, eudesmanes and lignans from 851
Acnistus arborescens, cytotoxic withanolides from 635
Actinodaphne lancifolia, C_{16}-lactones and lignans from 861
ADP-glucose pyrophosphorylase, cDNA clones encoding subunits of 261
Agaricus blazei, des-*A*-ergostanes from 571
Albatrellus ovinus, neogrifolins with anti-oxidative activity from 731
Algae 111, 141, 157, 839
Alkaloid
  glycosides, steroidal, molluscicidal, from *Solanum* 79
  production, in *Duboisia* hybrid hairy root cultures 697
Alkaloids,
  sesquiterpene pyridine, from *Hippocratea* 767
  tetrahydroisoquinoline-monoterpene, glycosides of, from *Cephaelis* 91
Alkamides, benzylated, from *Lepidium* 105
Alkenes, isoprenoid, C_{25} and C_{30}, in *Rhizosolenia*, effects of auxosporulation on 141
Alepocurus myosuroides, herbicide-resistant and -susceptible populations of 149
Amides, from *Piper* 521, 897
Amino acids, non-protein, of *Bocoa* 163
1-Aminobenzylphosphonic acids, as inhibitors of phenylalanine ammonia-lyase 9
Anisotome, chemosystematic studies of irregular diterpenoids in 293
Annonaceae 99, 543, 885
Anthocyanin pigments, in rosé cider during vinification 183
Anthocyanin-producing and non-producing cells, of *Glehnia* 63
Anthocyanin, acylated, from *Arabidopsis* 343
Anthraquinones, biosynthesis of in *Cinchona* cultures 45
Anthrones, from *Rubus* 873
Antioxidant enzymes, effect of Na_2SO_3 on activities of 493
Apiaceae 63, 293, 649, 811
Apocynaceae 1
Arabidopsis thaliana,
  benzoic acid glucosinolate esters from 663
  leaf anthocyanin from 343
Araliaceae 379
(+)-Aristolochene, *de novo* production of by *Penicillium* 597
Artabotrys hexapetalus, β-methoxy-γ-methylene-α,β-unsaturated-γ-butyrolactones from 99
Artemisia, monoterpenes from 197
A. myriantha, conformation of germacranolides from 529
2-Arylbenzofuran, from *Erythrina* root bark 337
Aspergillus niger, biotransformation of diterpenoids from *Stemodia* by 57
Asteraceae 33, 85, 197, 241, 367, 371, 529, 795, 805, 851, 857
  serine proteine inhibitors in members of 279

B
Bacopa monnieri, pseudojujubogenin glycosides from 365
Barnettia kerrii, verbascoside-type phenolic glycosides from 565
3(2H)-Benzofuranones, from *Coniothyrium* cultures 239
Benzophenone *O*-arabinosides, from *Hypericum* 867
Betaines, characterization of using electrospray MS/MS 759
Bibenzyl, from *Frullania* 205
Bignoniaceae 557, 565
Bioactive plant products
  antibacterial
  coumarins, from *Prangos* 649
  iridoids, from *Cymbaria* 537
antifungal amides, from *Piper* 521
anti-HIV sesquiterpenoid and lignan, from *Litsea* 325
anti-inflammatory cyclohexenyl chalcones, from *Boesenbergia* 169
antimicrobial flavanones, from *Feronia* stem bark 73
antioxidant proanthocyanidin glycosides, from cacao liquor 749
anti-oxidative neogrifolin derivatives, from *Albatrellus* 731
antiprotozoal lactone, from *Uvaria* 885
antitumour iridoids, non-glycosidic, from *Cymbaria* 537
antiviral isoflavonoid sulphate and steroidal glycosides, from *Solanum* 459
carcinogenesis inhibitory triterpenes, from *Eriobotrya* calli 315
carcinostatic taxoid production, by selected *Taxus* genotypes 725
cytokine release inhibitory coumarins, from *Prangos* 649
cytotoxic
  biscatechols, from *Gerronema* 643
  withanolides, from *Acnistus* 635
erectile-dysfunction active pyrano-isoflavones, from *Eriosema* 739
immunologically active polysaccharides, from *Ganoderma* 175
immunosuppressive lignans and other constituents, from *Saussurea* 85
insecticidal tetramethylcyclohexenedione isomers, from *Kunzea* 69
molluscicidal steroidal alkaloid glycosides, from *Solanum* 79
PGE_2 inhibitory diterpenes, from *Euphorbia* 331
phytotoxic essential fatty acids, from leachates of *Typha* 305
phytotoxicity, of macrocyclic trichothecene mycotoxins, from *Myrothecium* 309
smooth muscle relaxant phenolics, from *Gastrodia* rhizome 513
trypanocidal stigmastane derivatives, from *Vernonia* 371
Biological activity,
  of brassinolide C-2 and C-3 methyl ether derivatives 627
  of destruxins 579
Biosynthesis,
  of anthraquinones, in cell cultures of *Cinchona* 45
  of destruxins, from fungi 579
  of isoprenoids, in *Conocephalum* 269
Biotransformation,
  of destruxins, from fungi 579
  of partheniol, by *Mucor* 39
  of sesquiterpenoids from *Hyptis*, by *Curvularia* 489
  of terpenes from *Stemodia*, by *Aspergillus* 57
  of terpenoids from *Hyptis*, by *Mucor* 479
Biscatechols, cytotoxic, from *Gerronema* 643
Bocoa, non-protein amino acids of 163
Boesenbergia pandurata, anti-inflammatory cyclohexenyl chalcones from 169
Bombyx mori, flavonol 5-glucosides from the cocoon shell of 275
Botryococcus braunii, tetramethylsqualene triethers from 839
Brassica, elicitation and metabolism of phytoalexins and indole-3-acetonitrile in 611
Brassicaeae 105, 343, 611, 663
  survey of aliphatic glucosinolates in 717
Brassinolide C-2 and C-3 methyl ethers, synthesis and bioactivity of 627
Burseraceae 399
γ-Butyrolactones, β-methoxy-γ-methylene-α,β-unsaturated-, from *Artabotrys* 99

C
Caffeic acid derivatives, from *Salvia* 117
Callose synthase, subcellular immunolocation of in French bean 249
Capparidaceae 451

PII: S0031-9422(02)00188-7

Capparis spinosa, (6*S*)-hydroxy-3-oxo–ionol glucosides from 451
Caryophyllaceae 703
Cassia kleinii, oxanthrone esters from 425
Catharanthus roseus, activities of recombinant *O*-methyltransferase from 1
Cephaelis acuminata, tetrahydroisoquinolene-monoterpene glycosides from 91
Chalcones,
cyclohexenyl, anti-inflammatory, from *Boesenbergia* 169
from *Dorstenia* 877
Chemotaxonomic studies,
of aliphatic glucosinolates, in Sicilian Brassicaceae 717
of cyanogenic glycosides, in *Passiflora* 501
of diterpenes, in *Anisotome* and related Apiaceae 293
of fatty acids, in Rhodophyceae, Phaeophyceae and Chlorophyceae 157
of non-protein amino acids, in *Bocoa* 163
of serine protease inhbitors, in the Compositae 279
of volatile oils, in *Melaleuca* chemotypes 391
Chlorophyceae, fatty acid composition of 157
Chromone, from *Hypericum* 867
Cicer arietinum, cDNA clones encoding ADP-glucose pyrophosphorylase subunits from 261
Cinchona, biosynthesis of anthraquinones in cell cultures of 45
Clusiaceae 395, 867
Commiphora kua, octanordammarane triterpenes from 399
Coniothyrium minitans, 3(2H)-benzofuranones and chromanes from 239
Conocephalum conicum, incorporation of 1-deoxy-D-xylulose into isoprenoids of 269
Coumarin glucosides, from *Cruciata* 447
Coumarins, antibacterial and cytokine release inhibitory, from *Prangos* 649
Crassulaceae 655
Cruciata taurica, coumarin glucosides from 447
epi-Cubebanes, from *Solidago* 805
Cucurbitaceae 215
Cucurbitane glycosides, from *Trichosanthus* fruits 215
Cupressaceae 817
Curvularia lunata, biotransformation of *Hyptis* sesquiterpenoids by 489
Cyanogenic glycosides, distribution of in *Passiflora* 501
Cyclohexenes, polyoxygenated, from *Ellipeiopsis* 543
Cymbaria mongolica, non-glycosidic iridoids from 537

D
Dalbergia nitidula, isoflavonoid-neoflavonoid dimer and isoflavone from 415
1-Deoxy-D-xylulose, incorporation of into isoprenoids of *Conocephalum* 269
Destruxins, synthesis, biosynthesis, biotransformation and bioactivity of 579
Diterpenoid glycoside, from *Stevia* 367
Diterpenoids,
abietane, from *Torreya* cultured cells 385
neo-clerodane, from *Teucrium* 409
from *Stemodia*, biotransformation of by *Aspergillus* 57
irregular, in *Anisotome* and other Apiaceae 293
macrocyclic, from *Euphorbia* 331
pimarane, from *Sphaeropsis* cultures 817
Dorstenia prorepens, digeranylated chalcone from 877
D. zenkeri, chalcone and bichalcone from 877
Duboisia, alkaloid production in hairy root cultures of 697

E
Ellagitannin trimer, macrocyclic, from *Oenothera* 191
Ellipeiopsis cherrevensis, polyoxygenated cyclohexenes from 543
Enalins, from Bahama mangrove fungus 469
Eriobotrya japonica, production of bioactive triterpenes by 315
Eriosema kraussianum, pyrano-isoflavones from, with erectile-dysfunction activity 739
Erythrina burttii, isoflav-3-enes and 2-arylbenzofuran from 337
Euphorbia nivulia, PGE_2-inhibitory macrocyclic diterpenes from 331
Euphorbiaceae 331
Eurycoma longifolia, quassinoids from 833

F
Fabaceae 163, 249, 261, 309, 337, 347, 415, 425, 473, 673, 739
Fatty acid composition, of marine macrophytes from the Bohai Sea 157
Fatty acids, essential, from *Typha* extracts and leachates 305
Feronia limonia, antimicrobial flavanones and other constituents from 73
Flavanone glycoside, from *Mentha* 889
Flavanones, prenylated, antimicrobial, from *Feronia* stem bark 73
Flavone *C*-glycosides, *O*-galloylated, from *Pelargonium* 419
Flavonoid
gene expression and UV photoprotection, in *Petunia* 23
trimers, from *Ochna* 435
Flavonoids, from *Salvia* 117
Flavonol
5-glucosides, from cocoon shell of silkworm 275
glycoside-lignan ester, from *Monochaetum* 363
Fructan synthesis, in Jerusalem artichoke tubers 241
Frullania brasiliensis, eremophilanolides and bibenzyl from 205
Fungi 39, 57, 175, 309, 469, 479, 489, 571, 597, 643, 689, 731, 817
Furanoterpenoids, from *Siphonochilus* 405

G
Ganoderma lucidum, immunologically active polysaccharides from 175
Gastrodia elata, relaxant effects of phenolics from, on guinea-pig ileum 513
Gentiana scabra, triterpenoids from 791
Gentianaceae 791
Geraniaceae 419, 493
Geranyl-α-pyrone, from *Mimulus* leaf resin 375
Gerronema, cytotoxic biscatechols from 643
Gibberellins, in shoots and capsules of *Populus* 679
Glehnia littoralis, responses of red and white cells of, to radical generators 63
β-Glucosidase/xylosidase, from *Phytophthora* 689
Glucosinolates,
aliphatic, in Sicilian Brassicaceae 717
chemical diversity and distribution of 237
esterified with benzoic acid, from *Arabidopsis* 663
O-Glucosyltransferase activities, toward phenolics, in wheat and black-grass 149
Grossulariaceae 465

H
Harpullia austro-caledonica, triterpenoid saponins and prosapogenins from 825
Helianthus annuus, high temperature effect on stearic acid content in mutant of 33
H. tuberosus, transport of 1-kestose across the tonoplast of tubers of 241
Hepaticae 205, 269
Herbicide safeners, effect of on wheat *O*-glucosyltransferase activities toward phenolics 149
Hippocratea excelsa, sesquiterpene pyridine alkaloids from 767
Hippocrateaceae 767
Hydroxyester disaccharides, from *Physalis* fruits 439
(6*S*)-Hydroxy-3-oxo-α-ionol glucosides, from *Capparis* fruits 451
Hypericum annulatum, benzophenone *O*-arabinosides from 867
H. erectum, polyprenylated phloroglucinols from 395
Hyptis verticillata,
biotransformation of sesquiterpenoids from, by *Curvularia* 489
microbial transformation of terpenoids from, by *Mucor* 479

I
Indole-3-acetonitrile, elicitation and metabolism of in *Brassica* 611
Iridoid glycosides,
from *Morinda* 551
from *Syringa* 779
Iridoids, non-glycosidic, antitumour and antibacterial, from *Cymbaria* 537

Isoflavanoid-neoflavonoid, from *Dalbergia* heartwood 415
Isoflav-3-enes, from *Erythrina* root bark 337
Isoflavones,
O-methylated, from *Dalbergia* heartwood 415
pyrano-, with erectile-dysfunction activity, from *Eriosema* 739
Isoflavonoid sulphate, antiviral, from *Solanum* fruits 459
Isoprenoid alkenes, C_{25} and C_{30}, in *Rhizosolenia*, effects of auxosporulation on 141
Isoprenoids, of *Conocephalum*, incorporation of 1-deoxy-D-xylulose into 269

K
Kavalactones, from *Piper*, ^{13}C NMR spectroscopy of 429
1-Kestose, transport of, across the tonoplast of Jerusalem artichoke tubers 241
Keto acid, acyclic, from *Lepidium* 105
Klaivanolide, from *Uvaria* 885
Kunzea, insecticidal tetramethylcyclohexenediones from 69

L
Lactones,
antiprotozoal, from *Uvaria* 885
from *Actinodaphne* stems 861
Lamiaceae 117, 409, 889
Lamium maculatum, characterization of betaines from, using electrospray MS/MS 759
Lauraceae 325, 861
Laurencia obtusa, C_{15} acetogenins from 111
Lepidium meyenii, macaridine, macamides and acyclic keto acid from 105
Lignans,
anti-HIV, from *Litsea* 325
from *Achillea* 851
from *Actinodaphne* stems 861
immunosuppressive, from *Saussurea* 85
Litsea verticillata, anti-HIV sesquiterpenoid and lignan from 325

M
Markhamia stipulata, verbascoside-type phenolic glycosides from 557
Medicago, metabolic profiling of saponins from, using HPLC-ESI-MS 347
Melaleuca alternifolia,
monoterpenoid accumulation in seedlings of 709
volatile oils from cotyledons of chemotypes of 391
Mentha longifolia, chlorinated monoterpene ketone and glycosides of β-sitosterol and flavanone from 889
Methylerythritol 4-phosphate pathway, anthraquinone biosynthesis in *Cinchona* via 45
O-Methyltransferases, cloned, predicting substrates of 1
Mimulus aurantiacus, geranyl-α-pyrone from 375
Monochaetum multiflorum, flavonol glycoside-lignan ester from 363
Monoterpenoid
accumulation, in *Melaleuca* seedlings 709
ketone, chlorinated, from *Mentha* 889
Monoterpenoids, from *Artemisia* 197
Moraceae 877
Morinda coreia, iridoid and phenolic glycosides from 551
Mucor circinelloides, microbial metabolism of partheniol by 39
M. plumbeus, microbial transformation of *Hyptis* terpenoids by 479
Myrothecium verrucaria, phytotoxicity and cytotoxicity of macrocyclic trichothene mycotoxins from 309
Myrtaceae 69, 391, 709

N
NAD kinase activity, in *Phaseolus* subjected to cold-shock 473
Nardostachys chinensis, guaiane and aristolane sesquiterpenoids from 845
Neogrifolins, anti-oxidant, from *Albatrellus* 731
Nepenthaceae 603
Nepenthes insignis, plumbagin production by, from L-alanine C_2-portion from carnivorous organs 603
Nigrumin-5-hydroxycinnamates, from blackcurrant seed 465
Nitrile-containing hydroxycinnamate glycosides, from blackcurrant seed 465

O
Ochna calodendron, triflavonoids from 435
Ochnaceae 435
Oenothera tetraptera, macrocyclic ellagitannin trimer from 191
Oleaceae 779
Onagraceae 191
Orchidaceae 513
Oxanthrone esters, from *Cassia* roots 425

P
Partheniol, microbial metabolism of, by *Mucor* 39
Passiflora, distribution of cyanogenic glycosides in 501
P. guatemalensis, cyclopentane cyanogenic glycoside from 501
Passifloraceae 501
Pelargonium graveolens, effects of Na_2SO_3 on antioxidant enzyme activities in 493
P. reniforme, *O*-galloyl-*C*-glycosylflavones from 419
Penicillium roqueforti, *de novo* production of (+)-aristolochene by 597
Petasites hybridus, sesquiterpene hydrocarbons from 795
Petunia, effects of UV-B radiation on gene expression and flavonoid content in 23
Phaeophyceae, fatty acid composition of 157
Phagnalon rupestre, phenolic glycosides from 857
Phaseolus vulgaris,
proline metabolism and NAD kinase activity in, after cold-shock 473
subcellular immunolocation of xylan and callose synthases in 249
Phenolic
acids, from *Typha* leachates and extracts 305
glycosides,
from *Morinda* 551
from *Phagnalon* 857
verbascoside-type, from *Barnettia* 565
verbascoside-type, from *Markhamia* 557
Phenolics, from *Gastrodia* rhizome, relaxant effects of on smooth muscle 513
Phenylalanine ammonia lyase, activity of 1-aminobenzylphosphonic acid analogues as inhibitors of 9
Phloroglucinols, polyprenylated, from *Hypericum* 395
Physalis peruviana, hydroxyester disaccharides from 439
Phytoalexins, elicitation and metabolism of in *Brassica* 611
Phytophthora infestans, β-glucosidase/xylosidase from 689
Piper, amides from 521, 897
P. methysticum, ^{13}C NMR spectroscopy of kavalactones from 429
Piperaceae 429, 521, 897
Plumbagin production, by *Nepenthes*, from C_2-portion of L-alanine from carnivorous organs 603
Poaceae 149, 627
Polyphenolics, from *Salvia* 117
Polysaccharides,
immunologically active, from *Ganoderma* 175
of *Silene* callus cell walls, changes of during culture 703
Populus, gibberellins in shoots and developing capsules of 679
Prangos pabularia, γ-pyrones and antibacterial coumarins from 649
Proanthocyanidin glycosides, antioxidant, from cacao liquor 749
Proanthocyanidins, dimeric with C-4(C)→C-5(D) interflavanyl linkage, from *Acacia* 673
Proline metabolism, in *Phaseolus* subjected to cold-shock 473
Prosapogenins, acylated, from *Harpullia* 825
Protein biochemistry
callose synthase, subcellular immunolocation of, in *Phaseolus* 249
β-glucosidase/xylosidase, from *Phytophthora* 689
O-Methyltransferases, cloned, predicting substrates of 1
phenylalanine ammonia-lyase, activity of 1-amino-benzylphosphonic acid analogues as inhibitors of 9
xylan synthase, subcellular immunolocation of, in *Phaseolus* 249

Proteracacinidins, form *Acacia* 673
Pseudocyanogenic α-hydroxyamides, as isolation artifacts from *Passiflora* 501
α-Pyrone, geranylated, from *Mimulus* leaf resin 375
γ-Pyrone, from *Prangos* 649

Q
Quassinoids, from *Eurycoma* 833

R
Rebaudioside F, from *Stevia* 367
Rhizosolenia setigera, effects of auxosporulation on isoprenoid alkene distribution in 141
Rhodiola rosea, volatiles from rhizomes of 655
Rhodophyceae, fatty acid composition of 157
Ribes nigrum, nigrumin-hydroxycinnamates from 465
Rosaceae 315, 873
Rosé cider, anthocyanin pigments generated during vinification in 183
Rubiaceae 45, 91, 447, 551
Rubus ulmifolius, anthrones from 873
Rutaceae 73

S
Salicaceae 679
Salvia, phenolic acid derivatives and flavonoids from 117
Sapindaceae 825
Saponins,
from *Medicago*, metabolic profiling of, using HPLC-ESI-MS 347
triterpenoid, from *Harpullia* 825
Saussurea medusa, immunosuppressive lignans and other constituents from 85
Scrophulariaceae 57, 375, 537
Secoiridoid glucosides, from *Syringa* 779
Serine proteinase inhibitors, from Asteraceae 279
Sesquiterpene
hydrocarbon, production of by *Penicillium* 597
lactones,
eremophilanolides, from *Frullania* 205
germacranolides, from *Artemisia*, conformation of 529
Sesquiterpenoids,
anti-HIV, from *Litsea* 325
eudesmane, from *Achillea* 851
from *Hyptis*,
biotransformation of by *Curvularia* 489
microbial transformation of, by *Mucor* 479
from *Parthenium*, biotransformation of by *Mucor* 39
from *Petasites* 795
from *Solidago* 805
from *Torilis* fruit 811
guaiane and aristolane, from *Nardostachys* roots 845
Silene vulgaris, changes in cell wall polysaccharides in callus of 703
Simaroubaceae 833
Siphonochilus aethiopicus, furanoterpenoids from 405
β-Sitosterol glycosides, acylated, from *Mentha* 889
Sodium sulphite, effects of on activities of antioxidant enzymes 493
Solanaceae 23, 79, 439, 459, 635, 697
Solanum aculeastrum, molluscicidal steroidal alkaloid glycosides from 79
S. torvum, antiviral isoflavonoid sulphate and steroidal glycosides from 459
Solidago canadensis, *epi*-cubebanes from 805
Sphaeropsis sapinea f.sp. *cupressi*, pimarane diterpenes from 817
Stearic acid, high production of, at high temperature in sunflower mutant 33
Stemodia maritima, biotransformation of terpenes from by *Aspergillus* 57
Sterculiaceae 749
Steroidal glycosides, antiviral, from *Solanum* fruits 459
Steroids, des-*A*-ergostane, from *Agaricus* mycelia 571
Stevia rebaudiana, diterpene glycoside from 367
Stigmastane derivatives, trypanocidal, from *Vernonia* 371
Syringa afghanica, secoiridoid and iridoid glucosides from 779

T
Taxaceae 385, 725
Taxoids, bioactive, production of by selected *Taxus* genotypes 725
Taxus, production of bioactive taxoids by selected genotypes of 725
Tetramethylcyclohexenediones, insecticidal, from *Kunzea* 69
Teucrium oliverianum, *neo*-clerodane diterpenoids from 409
Teucrolin E, structure revision of 409
Theobroma cacao, anti-oxidant proanthocyanidin glycosides from 749
Torilis japonica, sesquiterpenoids from 811
Torreya nucifera, abietane diterpenoids from 385
Trichosanthus tricuspidata, cucurbitane and non-cucurbitane glycosides from 215
Trichothecene mycotoxins, from *Myrothecium*, phytotoxicity and cytotoxicity of 309
Triterpenoid
glycosides, *nor*-oleanane, from *Acanthopanax* 379
polyethers, tetramethylsqualene, form *Botryococcus* 839
Triterpenoids,
bioactive, production of by *Eriobotrya* 315
from *Gentiana* 791
from *Hyptis*, microbial transformation of by *Mucor* 479
octanordammarane, from *Commiphora* 399
Triticum aestivum, effect of herbicide safener on *O*-glucosyltransferase activity of toward phenolics 149
Typha domingensis, phytotoxicity of essential fatty acids and phenolic acids from 305
Typhaceae 305

U
Uvaria klaineana, antiprotozoal lactone from 885

V
Valerianaceae 845
Vernonia guineensis, trypanocidal bitter stigmastane derivatives from 371
Verruculina enalia, metabolites from 469
Volatile oils, from cotyledons of *Melaleuca* chemotypes 391
Volatiles, from *Rhodiola* rhizomes 655

W
Withanolides, cytotoxic, from *Acnistus* 635

X
Xylan synthase, subcellular immunolocation of in French bean 249

Z
Zingiberaceae 169, 405

ISSN: 0008-6215

Available online at

SCIENCE DIRECT

www.sciencedirect.com
and
www.web-editions.com

CONTENTS direct

The free alerting service by e-mail for Elsevier Science book and journals.

http://www.elsevier.com/locate/contentsdirect

ELSEVIER
An imprint of
Elsevier Science

Carbohydrate Research An International Journal

Editors:
D. C. Baker, *Department of Chemistry, The University of Tennessee, Knoxville, TN 37996-1600, USA,*
J. Defaye, *Département de Pharmacochimie Moléculaire/Glucides, Université Joseph Fourier-Grenoble 1, BP 138, F-38243 Meylan Cédex, France,*
D. Horton, *Department of Chemistry, The American University, 4400 Massachusetts Avenue, N.W., Washington, DC 20016-8014, USA* and
E.F. Hounsell, *School of Biological & Chemical Sciences, Birkbeck University of London, Gordon House, 29 Gordon Square, London WC1H 0PP, UK*

Since its inception in 1965, ***Carbohydrate Research*** has gained a reputation for its high standard and wide scope which includes all aspects of carbohydrate chemistry and biochemistry. Articles published in the journal cover sugars and their derivatives (also cyclitols, and model compounds for carbohydrate reactions), oligo- and polysaccharides, nucleosides, nucleotides, and glycoconjugates. These systems are considered from the viewpoints of:

- chemical synthesis; the study of structures and stereochemistry; reactions and their mechanisms; isolation of natural products; physicochemical studies; macromolecular dynamics; analytical chemistry; biochemistry (biosynthesis, metabolism, degradation, structural and functional biochemistry, enzyme mechanisms, glycosidases and glycosyl transferases, etc.);
- action of enzymes; immunochemistry; technological aspects.

The journal includes normal length research papers, perspectives, notes, rapid communications and book reviews together with notices of meetings concerned with carbohydrates.

Visit the Journal homepage for further information and FREE online sample copy: www.elsevier.com/locate/carres

Request for further information

My E-mail _____

Name (please print) _____ Position _____

Department _____ Organisation _____

Address _____ Region/State _____

Post/Zip Code _____ Country _____

Tel _____ Fax _____

❑ I am interested in submitting a paper to ***Carbohydrate Research*** (02162) on the following topic area _____

_____

❑ Please send the subscription information on ***Carbohydrate Research*** (02162)

I am happy to receive further information on Elsevier Science products via: ❑ Email ❑ Paper ❑ Both

Chemistry Marketing Department, Elsevier Science,
The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB.
Email: CMD@Elsevier.co.uk

2-302-193.3



ISSN: 1472-7862

Available online at

SCIENCE DIRECT

www.sciencedirect.com
and
www.web-editions.com

CONTENTS direct

The free alerting service by e-mail for Elsevier Science book and journals.

http://www.elsevier.com/locate/contentsdirect

ELSEVIER
An imprint of Elsevier Science

Journal of Supramolecular Chemistry

Editors:
J.L. Atwood, *Department of Chemistry, University of Missouri-Columbia, 601 South College Avenue, Columbia, MI 65211, USA*
G.W. Gokel, *Department of Molecular Biology and Pharmacology, Washington University School of Medicine, 660 South Euclid Avenue, St Louis, MI 63110, USA*

The Journal of Supramolecular Chemistry is aimed at producing in-depth coverage of all disciplines and sub-disciplines related to the dynamic and widely expanding field of supramolecular chemistry. These disciplines include the fields of analytical, inorganic, organic, physical and theoretical chemistry, as well as related sub-disciplines such as bioorganic and bioinorganic chemistry.

Original, high quality manuscripts, which fit into the broad spectrum of research undertaken in the field of supramolecular chemistry are welcomed, including both communications and full papers, although communications are given higher priority in terms of review and production. Accounts and reviews are also published on an occasional basis.

Typically, fields of interest include research on macrocycles such as crown ethers, cyclodextrins, cryptands and various molecular receptors such as DNA and other receptors. Studies of these compounds range from their synthesis, thermodynamic properties, reactivity and spectroscopic characterisation to their structure determination and refinement by single crystal X-ray diffraction.

Visit the Journal homepage for further information and your FREE online sample copy: www.elsevier.com/locate/jsupra

Request for further information

My E-mail _____

Name (please print) _____ Position _____

Department _____ Organisation _____

Address _____ Region/State _____

Post/Zip Code _____ Country _____

Tel _____ Fax _____

❑ I am interested in submitting a paper to ***The Journal of Supramolecular Chemistry*** (03059) on the following topic area

_____

_____

❑ Please send the subscription information on ***The Journal of Supramolecular Chemistry*** (03059)

I am happy to receive further information on Elsevier Science products via: ❑ Email ❑ Paper ❑ Both

Chemistry Marketing Department, Elsevier Science,
The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB.
Email: CMD@Elsevier.co.uk

2-302-193-11

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS direct

REGISTER TODAY

Sign-up is simple!

1. ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
2. FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
3. THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

www.elsevier.com/locate/contentsdirect

find
submit
track
alerts
personalise

authorGATEWAY
from Elsevier Science

The integrated online entry point for all your submission needs

- Find your journal - search by title, keyword or editor; browse by subject area or title.
- Submit your paper - access comprehensive instructions about getting published, including online submission where available.
- Track your paper - track the status of your paper from acceptance to publication (this service was formerly known as OASIS)
- Set up alerts for your favourite journals - receive tables of contents by email from ContentsDirect.
- Personalise your homepage - create your own unique homepage with quick links to your papers, journals and email alerts.

http://authors.elsevier.com
helping you get published

For more information about the Author Gateway contact Author Support at: **authorsupport@elsevier.com**

PHYTOCHEMISTRY

AIMS AND SCOPE

Phytochemistry is the international journal of plant chemistry, plant biochemistry and molecular biology, published 24 times per annum by Elsevier Science. The majority of these publications will be *Regular Issues* covering research on all aspects of pure and applied plant biochemistry, especially that which leads to a deeper understanding of the factors underlying the growth, development and metabolism of plants and the chemistry of plant constituents. *Phytochemistry* is a primary source for papers dealing with plant secondary compounds, especially with regard to their biosynthesis and diverse properties. This specialisation is reflected further in *Special Issues* (Reports on Structure Elucidation) devoted exclusively to structure elucidation of phytochemicals which will now be published 5–6 times per annum. *Phytochemistry* is the official organ of 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America'. The Journal is currently divided into several sections as indicated below, but papers which cut across these sections or which are on any other aspect of plant biochemistry will also be considered.

Editorial Comment will be an occasional series where Regional Editors, Board Members or other scientists will be invited to comment on phytochemistry topics of global interest and debate.

Molecules of Interest will consist of invited short reviews (two printed pages) of individual compounds or macromolecules of plant, fungal or algal origin, which are currently attracting significant applied, commercial or biological interest. These can be novel compounds or newly discovered properties of familiar compounds.

Review Articles are published at regular intervals, ranging in scope from primary metabolism and regulation of plant growth, through plant enzymology to natural product chemistry and the biological activity of plant products. They deal with significant new areas of research and are intended to command the interest of the general reader. Authors should consult the Editors before preparing such articles, by submitting an outline of their proposed review.

The *Protein Biochemistry* section will contain reports on the purification of proteins directly from the organism or by heterologous expression. These will preferentially include information on enzymological properties, macromolecular structure and exploration of function, by site-directed muta-genesis and/or subcellular localisation. Reports of work which employ proteomics will be particularly welcome and are intended to complement the next section.

The *Molecular Genetics and Genomics* section contains papers on nucleic acid biochemistry, function and expression. This section will contain reports of genes and their analysis and expression, which demonstrate novelty and/or biological significance. Papers and communications which contain only sequence data or which duplicate studies of gene expression in other species will not generally be acceptable. Gene discovery using mutants and reverse genetics or exploration of functionality of genes in transgenic organisms will however be encouraged, if this provides new insight into unknown or previously known sequences.

The *Metabolism* section focuses on work in primary, intermediary and secondary metabolism. Contributions are particularly encouraged on the biosynthesis of macromolecules such as polysaccharides, lipids and other polymers such as lignin and their assembly in higher orders of structure such as membranes and cell walls. This section will also contain papers describing the further elucidation of known pathways and of newly discovered alternatives, as well as all aspects of metabolic regulation including regulatory molecules and proteins such as protein kinases and transcription factors. Studies directed toward understanding the regulation and possible cross-talk between pathways through the use of transgenic organisms are also strongly encouraged, as are those describing aspects of biochemistry regulated during growth and development at any stage of the organism.

The *Ecological Biochemistry* section contains papers on biochemical adaptations in plants to environmental stress; pollination biochemistry; plant toxins and their effects on animals, phytoecdysones, antifeedants; herbivory, plant defence and insect feeding preferences; utilization of plant substances by animals; and all aspects of biochemical plant pathology, including the production of phytotoxins and phytoalexin elicitation. Contributions on various symbiotic interactions are also welcomed. Also of considerable interest is the elucidation of the signalling molecules that govern the nature of the responses involved in the interaction between two or more organisms.

The *Chemotaxonomy* section contains papers on the comparative biochemistry of plants. These may range from distributional studies on low molecular weight compounds in a group of fungi, algae or higher plants to the comparative amino acid sequences of related proteins within groups of species. Papers on infraspecific chemical variation are also included here.

The *Bioactive Products* section contains papers on novel plant chemistry, where the biological activities of one or more of the new plant compounds are described. Descriptions of pharmacological, medical or therapeutic use or of dietary significance are encouraged. This section may also contain analysis of genetically modified plants that have been analysed for changes in their profiles of bioactive plant products. Such bioassay data should include comparable results for a known agent, so that the reader can judge the relative importance of any new finding. Full experimental details of the biological tests should be provided, and studies judged significant by the Editors may be invited to be discussed in the *Molecules of Interest* section before publication. In such cases, this review will appear in the same issue as the publication.

The *Chemistry* section contains papers on: growth substances, macromolecules, primary metabolites, terpenoids, polyketides, phenylpropanoids, flavonoids, alkaloids and compounds of mixed biosynthetic origin. Authors investigating the chemistry of a given plant species should aim to publish their results in a single manuscript rather than in a series of papers which describe each new compound as it is found. The structural analysis of new plant substances is now so routine that papers reporting a single novel compound of expectable structure (e.g. a new triterpene fatty acid ester) are rarely acceptable, unless other novel information on the plant is included.

Accelerated Publications are published at regular intervals. Papers appearing under this heading will have received fast publication due to their particular significance. Authors are encouraged to provide strong justification as to why papers should be considered in this category.

Book Reviews are published regularly and the journal welcomes the submission of new books for review, to the U.K. office. Symposia and Society announcements will be published, at the discretion of the Editors. Preliminary communications will not, however, be considered.

Authors should consult the latest instructions to authors see *Phytochemistry* (Volume 61, Issue 1) before preparing their manuscripts. All contributions must be in English and should be submitted to the appropriate Regional Editor for their geographical region. For U.K.,



More **Choice** in...

- Content
- Navigation
- Functionality
- Platforms

Essential Research Resource

SCIENCE DIRECT®

For the Scientists of Today

Journal Collections
1,200 scientific, medical and technical journals

A&I Databases
Intuitive navigation across 30 million abstracts from over 10,000 journals from multiple publishers

Open Linking Technologies
CrossRef... plus robust internal linking to 3 million full-text articles and abstracts

Journal Backfiles
Access to deeper historical research

Scirus.com
World's most comprehensive scientific Web search engine

www.sciencedirect.com

New York
+1 212 462 1978
usinfo@sciencedirect.com

Amsterdam
+31 20 485 3767
nlinfo@sciencedirect.com

Singapore
+65 434 3727
sginfo@sciencedirect.com

Tokyo
+81 3 5561 5035
jpinfo@sciencedirect.com

Rio de Janeiro
+55 21 509 5340
brinfo@sciencedirect.com